

MSDS Report

Section 1-Chemical Product and Company Identification

Sample Description:Lithium thionyl chloride battery

Model:ER26500

Manufacturer:Wuhan Sunmoon Battery Co., Ltd

Address:No.231,Xingsan Road,Shamao Street,Hannan District,Wuhan,Hubei

Postal Code:430090

Tel.:027-84732116

Emergency Phone Number:027-84732116

Fax:027-84732179

E-mail:sunmoon@ sunmoonbat.com

Section 2-Hazards Identification

Emergy overview:This product is a battery.Intended use of the product should not result in exposure to the chemical substance.In case of rupture the below hazards list.

Classification according to GHS:

Acute toxicity,oral(4)

Acute toxicity,inhalation

Skin corrosion/irritation(1A to 1C)

Serious eye damage/eye irritation(1)

Sensitisation,skin(1,1A,1B)

Carcinogenicity(2)

Specific target organ toxicity,single exposure;Respiratory tract irritation(3)

Specific target organ toxicity,repeated exposure(2)

Label elements



Hazards pictograms:

Signal word: Danger

Hazard statement(s):

H302 Harmful if swallowed

H332 Harmful if inhaled

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H317 May cause an allergic skin reaction

H351 Suspected of causing cancer

H335 May cause respiratory irritation

H373 May cause damage to organs through prolonged or repeated exposure

Precautionary statement(s):

prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust, fume, gas, mist, vapours, spray.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the work place.

P280 Wear protective gloves, protective clothing, eye protection, face protection.

Response:

P330 Rinse mouth.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water.

P363 Wash contaminated clothing before reuse.

P310 immediately call a POISON CENTER.

P321 Specific treatment (See additional emergency instructions).

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of water.

Storage

P403+P233 store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Send contents to approved waste treatment plants.

Other hazards

Physical and chemical hazards: See section 10.

Human health hazards: See section 11.

Environmental hazards: See section 12.

Section 3-Composition/Information on ingredients

Chemical characterization: Mixture

Chemical Composition	CAS No.	EC#	Weight(%)
Lithium	7439-93-2	231-102-5	4.69
Thionyl Chloride	7719-09-7	213-748-8	40.12
Lithium Tetrachloroaluminate	14024-11-4	237-850-9	5.75
Carbon black	1333-86-4	215-609-9	4.49
Stainless Steel Case	---	---	28.11
Glass to metal cap	---	---	16.84

Section 4-First Aid measures

Description of first aid measures

General information No special measures required.

After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After swallowing

Do not induce vomiting. Get medical attention..

Personal protective equipment for first-aid responders: No data available.

Most important symptoms/effects, acute and delayed: No data available.

Indication of immediate medical attention and special treatment needed: Treat symptomatically.

Section 5-Fire Fighting Measures

Suitable extinguishing media:

Small Fire: Dry chemical, soda ash, lime or sand. Large Fire: DRY sand, dry chemical, soda, ash, or lime or withdraw from area and let fire burn. Move containers from fire area if you can do it without risk.

Unsuitable extinguishing media:

Water from foam.

Specific Hazards arising from the chemical:

Specific Hazards arising from the substance or mixture.

Battery may burst or release hazardous decomposition products when exposed to a fire situation. Produce flammable gases on contact with water. May ignite on contact with water or moist air. Some react vigorously or explosively on contact with water. May be ignited by heat, sparks or flames. May re-ignite after fire is extinguished. Runoff may create fire or explosion hazard.

Specific protective actions for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

Section 6-Accidental Release Measures

Personal precautions:

As an immediate precautionary measure, isolate spill or leak area in all directions for at least 50 meters (150 feet) for liquids and at least 25 meters (75 feet) for solids. Keep unauthorized personnel away. Stay upwind, uphill and/or upstream. Ventilate the area before entry.

Protective equipment:

No data available.

Emergency procedures:

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch or walk through spilled material. Stop leak if you can do it without risk. Use water spray to reduce vapors or divert vapor cloud drift. Avoid allowing water runoff to contact spilled material. DO NOT GET WATER on spilled substance or inside containers. Small spill: Cover with dry earth, dry sand and/or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain. Dike for later disposal; do not apply water unless directed to do so. Powder spill: Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. DO NOT CLEAN-UP OR DISPOSE OF, EXCEPT UNDER SUPERVISION OF A SPECIALIST.

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and materials for containment and cleaning up:

For all waste handling must refer to United Nations, National and Local Regulations for disposal.

See section 7 for information on safe handling.

See section 8 for information on safe personal protection equipment.

See section 13 for disposal information.

Section 7-Handling and storage

Procautions for safe handling:

Aviod short circuiting the battery. Aviod mechanical damage of the battery.Do not open or disassemble.Batteries may explode or cause burns,if disassembled,crushed or exposed to fire or high temperatures.Do not short or install with incorrect polarity.Avoid all personal contact,including inhalation.Wear protective clothing when risk of exposure occurs.Use in a well –ventilated area.Prevent concentration in hollows and sumps.

Conditions for safe storage,including any incompatibilities:

Store in a cool,dry,well-ventilated place.Keep away from heat,avoiding the long time of sunlight.

Section 8-Exposure Controls/Personal Protection

Control parameters

CAS No.	ACGIH	NIOSH	OSHA
7439-93-2	N/A	N/A	N/A
7719-09-7	N/A	N/A	N/A
14024-11-4	N/A	N/A	N/A
1333-86-4	TLV-TWA 3mg/m ³	REL-TWA 3.5mg/m ³	PEL-TWA 3.5mg/m ³

Appropriate engineering controls:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs,beverages and fees.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of the work.

Personal Protective Equipment:

Respiratory protection:Wear suitable protective mask.For a large large number of battery leakages,wear chemical protective clothing,including self-contained breathing apparatuses.

Hand Protection:Wear appropriate protective gloves to reduce skin contact.

Eye Protection:Wear safety goggles or eye protection combined with respiratory protection.

Skin and body Protection:Working environment required,wear suitable protective clothing to minimize contace with skin.The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

Section 9- Physical and Chemical Properties

Information on basic physical and Chemical Properties

Colour: Green.

Physical state: Cylindrical.

Odour: Not available.

pH: Not available.

Melting point/freezing point: Not available.

Initial boiling point and boiling range:Not available.

Flash point: Not available.

Evaporation rate: Not available.

Flammability(solid,gas): Not available.

Explosion limits(Vol% in air): Not available.

Vapour pressure,kPa at 20°C: Not available.

Vapor density: Not available.

Density/Ralative density(water=1): Not available.

Solubility(ies): Not available.

Partition coefficient:n-octanol/water: Not available.

Auto-ignition temperature: Not available.

Decompisition temperature: Not available.

Viscosity:Not available.

Other information:

Voltage 3.6V

Electric capacity 8.5Ah

Aggregate lithium content 2.30g

Section 10- Stability and Reactivity

Reactivity: No data available.

Chemical stability:Stable.

Possibility of hazardous reactions: No data available.

Conditions to avoid:Flames,sparks,and other sources of ignition,incompatible materials.

Incompatible materials:Oxidizing agents,acid base.

Hazardous decomposition products:Carbon monoxide,carbon dioxide,lithium oxide fumes.

Section 11- Toxicological Information

Acute Toxicity

CAS No.	LC50/LD50
7439-93-2	No data available.
77719-09-7	LD50 Rat(oral):270mg/kg; LC50 Rat(inhalation:Vapours):500ppm
14024-11-4	No data available.
1333-86-4	No data available.

Skin corrosion/irritation: No data available.

Serious eye damage/irritation: No data available.

Respiratory of Skin sensitization: No data available.

Germ Cell mutagenicity: No data available.

Carcinogenicity: No data available.

Reproductive toxicity: No data available.

Specific target organ toxicity-Single exposure: No data available.

Specific target organ toxicity-Repeated exposure: No data available.

Aspiration hazard: No data available.

Information on the likely routes of exposure: No data available.

Eye: No data available.

Skin: No data available.

Ingestion: No data available.

Inhalation: No data available.

Section 12- Ecological Information

Ecological Toxicity: No data available.

Persistence and degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other adverse effects: No data available.

Section 13- Disposal Considerations

Disposal methods:


Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

Section 14- Transport Information

UN number	
IATA	UN3090
IMDG	UN3090
Model Regulation	UN3090
UN proper shipping name	
IATA	Lithium metal batteries
IMDG	Lithium metal batteries
Model Regulation	Lithium metal batteries
Transport hazards class(es)	
IATA 9	
IMDG 9	
Model Regulation9	
packing group	
IATA N/A	
IMDG N/A	
Model Regulation N/A	
packaging Sign	
IATA	
IMDG	
Model Regulation	
Environmental hazards	
Marine pollutant:	No
Special precautions for user No information available.	

Transport information:The Lithium Thionyl Chloride Battery ER26500 has passed the test UN38.3,according to the report ID:1120070279.

Lithium metal content exceeds the standard.So it belongs to dangerous goods.The goods are packaged according to the packaging instruction 968 section IA of IATA DGR 61st Edition for transportation,Cargo airframe only.

Lithium metal content exceeds the standard.So it belongs to dangerous goods. The goods are packaged according to the special provision 230,384 of IMDG(39-18).

Lithium metal content exceeds the standard.So it belongs to dangerous goods. The goods are packaged according to the special provision 230,384 of <<Recommendations On The Transport Of Dangerous Goods-Model Regulations>>(21st).

Separate batteries to prevent short-circuiting.And they should be packed in strong package during transport.Lithium cell or battery should incorporate a safety venting device or be designed to prevent a violent rupture under normal transport conditions.Keep away from high temperature and open flames.

Transport Fashion:By air,by sea,by railway,by road.

Section 15- Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ ELINECS/NLP
7439-93-2	Listed	Listed	Listed DSL	Listed
77719-09-7	Listed	Listed	Listed DSL	Listed
14024-11-4	Listed	Listed	Listed DSL	Listed
1333-86-4	Listed	Listed	Listed DSL	Listed

Section 16- Other Information

Issue Date:2023-01-19

Modification record:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other information:

CAS:(Chemical Abstracts Service)

EC:(European Commission)

ACGIH:(American Conference of Governmental Industrial Hygienists)

NIOSH:(US Occupational Safety and Health)

OSHA:(US Occupational Safety and Health)

TLV:(Threshold Limit Value)

TWA:(Time Weighted Average)

STEL:(Short Term Exposure Limit)

PEL:(Permissible Exposure Level)

REL:(Recommended Exposure Limit)

PC-STEL:(Permissible concentration-short time exposure limit)

PC-TWA:(Permissible concentration- time weighted average)

LC50:(lethal concentration, 50 percent kill)

LD50:(lethal dose, 50 percent kill)

IARC:(International Agency for Research on Cancer)

EC50:(Median effective concentration)

BCF:(Bioconcentration Factor)

BOD:(Biochemical oxygen demand)

NOEC:(No observes effect concentration);

NTP:(US National Toxicology Program);

RTECS:(Registry of Toxic Effects of Chemical Substances);

IATA: (International Air transport Association);

IMDG:(International Maritime Dangerous Goods);

TDG:(Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations);

TOC:(Total Organic Carbon);

TSCA:(Toxic Substances Control Act of USA);

DSL: (the Domestic Substences List of Canada);

NDSL:(the Non-domestic Substences List of Canada)

End of report